

Day : Thursday

Date: 6/7/2007

Time: 16:25:27


PALM INTRANET
Inventor Name Search Result

Your Search was:

Last Name = HALLBERG

First Name = BRYAN

Application#	Patent#	Status	Date Filed	Title	Inventor Name
10753915	7176794	150	01/06/2004	METHOD AND APPARATUS FOR CAPTURING AUDIO INPUT USING A TELEVISION	HALLBERG, BRYAN S.
10961444	Not Issued	30	10/07/2004	Open aquos remote control unique buttons/features	HALLBERG, BRYAN S.
10966277	Not Issued	30	10/15/2004	Method and apparatus for finding applications and relating icons loaded on a television	HALLBERG, BRYAN S.
10976385	Not Issued	25	10/29/2004	Operation modes for a personal video recorder	HALLBERG, BRYAN S.
10976387	Not Issued	30	10/29/2004	Actuating selected Java Applets on a TV using a remote control	HALLBERG, BRYAN S.
10976498	Not Issued	30	10/29/2004	Method and apparatus for synchronization of plural media streams	HALLBERG, BRYAN S.
11252423	Not Issued	30	10/17/2005	Operation modes for a personal video recorder using dynamically generated time stamps	HALLBERG, BRYAN S.
11382665	Not Issued	25	05/10/2006	Method and Apparatus for Communicating Popularity Ratings to Users	HALLBERG, BRYAN S.
60535044	Not Issued	159	01/06/2004	Method and apparatus for finding applications and relating icons loaded on a television	HALLBERG, BRYAN S.
60535046	Not Issued	159	01/06/2004	Television including a timer	HALLBERG, BRYAN S.
60535047	Not Issued	159	01/06/2004	Interactive television alert manager	HALLBERG, BRYAN S.
60535048	Not Issued	159	01/06/2004	Interactive television hot key manager	HALLBERG, BRYAN S.
60535117	Not	159	01/06/2004	Method and apparatus for	HALLBERG,

	Issued			synchronization of plural media streams	BRYAN S.
<u>60535118</u>	Not Issued	159	01/06/2004	Dual-plane java graphics	HALLBERG, BRYAN S.
<u>60535127</u>	Not Issued	159	01/06/2004	Actuating selected java applets on a TV using a remote control	HALLBERG, BRYAN S.
<u>60535149</u>	Not Issued	159	01/06/2004	Television having a Java engine and a removable device port	HALLBERG, BRYAN S.
<u>60535157</u>	Not Issued	159	01/06/2004	Open aquos remote control unique buttons/features	HALLBERG, BRYAN S.
<u>60535189</u>	Not Issued	159	01/06/2004	Personal video recorder operation modes	HALLBERG, BRYAN S.
<u>60623395</u>	Not Issued	159	10/29/2004	Operation modes for a personal video recorder using dynamically generated time stamps	HALLBERG, BRYAN S.
<u>08223706</u>	<u>5537100</u>	150	04/06/1994	SYSTEM AND METHOD FOR ANALYZING CODED TRANSMISSION SENT TO MOBILE MESSAGE RECEIVERS	HALLBERG, BRYAN S.
<u>08586245</u>	<u>5712553</u>	150	01/11/1996	BATTERY TRANSPOSITION SYSTEM AND METHOD	HALLBERG, BRYAN S.
<u>08604117</u>	<u>5721744</u>	150	02/20/1996	SYSTEM AND METHOD FOR CORRECTING BURST ERRORS IN DIGITAL INFORMATION	HALLBERG, BRYAN S.
<u>08825509</u>	Not Issued	161	03/31/1997	APPARATUS AND METHOD FOR SIMULTANEOUS VIDEO DECOMPRESSION	HALLBERG, BRYAN S.
<u>09704390</u>	<u>6640327</u>	150	11/01/2000	FAST BCH ERROR DETECTION AND CORRECTION USING GENERATOR POLYNOMIAL PERMUTATION	HALLBERG, BRYAN SEVERT
<u>10684276</u>	Not Issued	41	10/13/2003	Method and apparatus for storing MPEG-2 transport streams using a conventional digital video recorder	HALLBERG, BRYAN SEVERT
<u>10722854</u>	Not Issued	30	11/25/2003	Method and apparatus for storing MPEG-2 transport streams using a conventional digital video recorder	HALLBERG, BRYAN SEVERT
<u>10753800</u>	Not Issued	30	01/06/2004	Personal video recorder	HALLBERG, BRYAN SEVERT
<u>10753934</u>	Not	60	01/06/2004	Television remote control system	HALLBERG,

	Issued			and method with alphanumeric input	BRYAN SEVERT
<u>10868591</u>	7221407	150	06/14/2004	TELEVISION HAVING A JAVA ENGINE AND A REMOVABLE DEVICE PORT	HALLBERG, BRYAN SEVERT
<u>10910932</u>	Not Issued	30	08/03/2004	Interactive television alert manager	HALLBERG, BRYAN SEVERT
<u>10976388</u>	Not Issued	30	10/29/2004	Method and apparatus for upgrading a television system	HALLBERG, BRYAN SEVERT
<u>10977213</u>	Not Issued	30	10/29/2004	Interactive television hot key manager	HALLBERG, BRYAN SEVERT
<u>10977465</u>	7167418	150	10/29/2004	TELEVISION INCLUDING A TIMER	HALLBERG, BRYAN SEVERT
<u>11367937</u>	Not Issued	25	03/03/2006	Method and system for configuring media-playing sets	HALLBERG, BRYAN SEVERT
<u>11367939</u>	Not Issued	30	03/03/2006	Method and system for configuring media-playing sets	HALLBERG, BRYAN SEVERT
<u>11382989</u>	Not Issued	25	05/12/2006	DUAL-PLANE GRAPHICS	HALLBERG, BRYAN SEVERT
<u>11395507</u>	Not Issued	30	03/31/2006	Method for configuring media-playing sets	HALLBERG, BRYAN SEVERT
<u>11444639</u>	Not Issued	25	06/01/2006	Method and system for helping operate a media-playing set	HALLBERG, BRYAN SEVERT
<u>11735949</u>	Not Issued	20	04/16/2007	TELEVISION HAVING A JAVA ENGINE AND A REMOVABLE DEVICE PORT	HALLBERG, BRYAN SEVERT
<u>09246265</u>	6563964	150	02/08/1999	IMAGE DOWNSAMPLING USING REDUNDANT PIXEL REMOVAL	HALLBERG, BRYAN SEVERT
<u>09321519</u>	6417867	150	05/27/1999	IMAGE DOWNSCALING USING PERIPHERAL VISION AREA LOCALIZATION	HALLBERG, BRYAN SEVERT
<u>09452020</u>	7027713	150	11/30/1999	METHOD FOR EFFICIENT MPEG-2 TRANSPORT STREAM FRAME RE-SEQUENCING	HALLBERG, BRYAN SEVERT
<u>09465415</u>	Not Issued	120	12/16/1999	METHOD AND APPARATUS FOR STORING MPEG-2 TRANSPORT STREAMS USING A CONVENTIONAL DIGITAL VIDEO RECORDER	HALLBERG, BRYAN SEVERT
<u>09465495</u>	6658199	150	12/16/1999	METHOD FOR TEMPORALLY SMOOTH, MINIMAL MEMORY MPEG-2 TRICK PLAY TRANSPORT STREAM	HALLBERG, BRYAN SEVERT

				CONSTRUCTION	
--	--	--	--	--------------	--

Inventor Search Completed: No Records to Display.

Search Another: Inventor	Last Name	First Name	Search
	hallberg	bryan	

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	9448	pcmcia adj card	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 11:29
S2	7	"753800".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 18:40
S3	1870	encod\$4 and decod\$4 and buffer\$4 and pcmcia	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 18:44
S4	1743	encod\$4 and decod\$4 and buffer\$4 and pcmcia and (processor or cpu)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 18:44
S5	1346	S4 and @ad <"20040106"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 18:45
S6	0	S5 and (pin with connect44)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 18:45
S7	358	S5 and (pin with connect\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 18:45
S8	1743	encod\$4 and decod\$4 and buffer\$4 and pcmcia and (processor or cpu)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 11:30

EAST Search History

S9	1346	S8 and @ad <"20040106"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 11:30
S10	358	S9 and (pin with connect\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 11:30
S11	0	S10 and pvr	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 11:31
S12	0	S10 and (personal adj video adj recorder)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 11:31
S13	89	S10 and television	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 11:32
S14	0	S10 and "386".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 11:32
S15	2	detect\$4 with remov\$4 with medi\$4 with (pvr or (personal adj video adj recorder))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 11:35
S16	4233	detect\$4 with remov\$4 with medi\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 11:35

EAST Search History

S17	10	S16 and (pvr or (personal adj video adj recorder))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 11:37
S18	1	S17 and @ad<"20040106"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 11:44
S19	6161	(pvr or (personal adj video adj recorder))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 11:38
S20	225	S19 and (encod\$4 with buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 11:38
S21	404	S19 and (encod\$4 same buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 11:39
S22	5	S21 and (buffer same ((remov\$4 adj medi\$4) or (pcmcia)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 11:40
S23	5	S22 and (buffer same decod\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 11:40
S24	1	S23 and @ad<"20040106"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 11:40

EAST Search History

S25	61	encod\$4 same buffer same (pcmcia or removable) same decod\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 11:45
S26	5	S25 and (pvr or (video adj recorder))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 11:44
S27	0	S26 and @ad<"20040106"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 12:32
S28	5	S25 and (pvr or dvr)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 11:45
S29	0	S28 and @ad<"20040106"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 11:46
S30	38	S25 and @ad<"20040106"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 16:32
S31	15732	"725".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 12:29
S32	3	S31 and (plurality with pcmcia)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 12:31

EAST Search History

S33	342	S31 and pcmcia	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 12:31
S34	53	S33 and encod\$4 same (buffer or stor\$4) same decod\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 12:32
S35	33	S34 and @ad<"20040106"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 14:10
S36	2301	(plurality or multiple) with ((smart adj card) or (pcm\$4 adj card))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 14:06
S37	2	S36 and (pin with connect with (processor or cpu or microprocessor))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 14:09
S38	904	S36 and (pin)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 14:09
S39	38	S36 and (connect with pin)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 14:11
S40	2768508	"38" and @ad<"20040106"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 15:27

EAST Search History

S41	38	S39 and (connect with pin)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 14:11
S42	30	S41 and @ad<"20040106"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 15:10
S43	4737	detect\$4 with pcm\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 15:23
S44	983	(detect\$4 with pcm\$4) same transmit\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 15:27
S45	553	(detect\$4 with pcm\$4) with transmit\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 15:25
S46	27	(detect\$4 with pcm\$4) with transmit\$4 same buffer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 15:25
S47	27	S46 and @ad<"20040106"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 15:29
S48	53	(detect\$4 with pcmcia) same transmit\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 15:27

EAST Search History

S49	1	(detect\$4 with pcmcia) same transmit\$4 same decod\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 15:28
S50	474	(detect\$4 with pcmcia)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 15:29
S51	13	(detect\$4 with pcmcia) with decod\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 15:29
S52	13	S51 and @ad<"20040106"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 15:33
S53	29	interroga\$4 with pcmcia	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 15:32
S54	25	S53 and @ad<"20040106"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 15:51
S55	0	S54 and pvr	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 15:46
S56	0	S54 and dvr	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 15:48

EAST Search History

S57	0	detect\$4 with smart\$4 with (pvr or dvr)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 15:49
S58	4977	detect\$4 with smart\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 15:51
S59	21	S58 and (pvr or dvr)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 15:51
S60	6	S59 and @ad<"20040106"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 15:56
S61	363	detect\$4 with presence with smart\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 16:01
S62	265	S61 and @ad<"20040106"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 16:03
S63	73	S62 and decod\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 16:01
S64	4952	pvr	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 16:04

EAST Search History

S65	0	S64 and(detect\$4 with presence with smart\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 16:04
S66	0	S64 and (detect\$4 with presence with smart\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 16:03
S67	9	S64 and (detect\$4 with smart\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 16:03
S68	1	S67 and @ad<"20040106"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 16:05
S69	8342	pvr or dvr	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 16:04
S70	0	S69 and(detect\$4 with presence with smart\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 16:05
S71	21	S69 and(detect\$4 with smart\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 16:05
S72	6	S71 and @ad<"20040106"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 16:09

EAST Search History

S73	745	signal with indicat\$4 with empty with buffer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 16:09
S74	20	signal with indicat\$4 with empty with buffer with decod\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 16:12
S75	14	S74 and @ad<"20040106"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 16:12
S76	13	signal with indicat\$4 with empty with buffer with encod\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 16:12
S77	10	S76 and @ad<"20040106"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 16:32
S78	5	"460258".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 16:26
S79	164	decoder with java	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 16:33
S80	120	S79 and @ad<"20040106"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 16:33

EAST Search History

S81	7	decoder with java with applet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 16:33
S82	6	S81 and @ad<"20040106"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 17:25
S83	7	"753800".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 17:26